

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

· Trade name: **MEGAPOL F 4500**

· Article number: 72-5B3.9006

· Version number: 3

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· Application of the substance / the mixture: Powder coating material

**1.3 Details of the supplier of the safety data sheet****Identification of the company/undertaking:**

CIN Industrial Coatings, S.A. - Av de Dom Mendo, nº 330 - 4474-009 Maia - Portugal

Tel. + (351) 22 940 5000 - customerservice@cin.com

CIN - Corporação Industrial do Norte, S.A. - Av de Dom Mendo, nº 831 (antes EN13 km6)

4474-009 Maia - Portugal - Tel. + (351) 22 940 5000 - customerservice@cin.com

CIN Valentine, S.A.U. - P. I. Can Milans - Riera Seca, 1 08110 Montcada i Reixac - España

Tel. + (34) 93 565 66 00 - customerservice.es@cin.com

CIN Celliose, S.A. - Chemin de la Verrerie - BP 58 - 69492 Pierre Bénite Cedex - France

Tel. + (33) (0) 472 397 777 - customerservice.fr@cin.com

CIN Monopol, S.A. - 56 Allée Bernard Palissy - ZI des Auréats - 26000 Valence – France

Tel. + (33) (0) 475 442 117 - monopol@monopol-sa.com

CIN Soritec, S.A. - Calle Germans Valls, s/n, P. I. Gaserans - 17450 Hostalric Girona – España

Tel. + (34) 972 86 55 90 - customerservice@cin.com

CIN Govesan, S.L.U. - Calle del Oro - 28770 Colmenar Viejo - Madrid – España

Tel. + (34) 91 846 30 00 - customerservice@cin.com

**Further information obtainable from:**

E-mail address of the competent person responsible for the Safety Data Sheet: msds@cin.com

**1.4 Emergency telephone number:**

Portugal:

- CIN, S.A. e CIN Industrial Coatings, S.A.: + (351) 22 940 5000

- Antipoison Information Center: + (351) 800 250 250

- Emergency Service (24 hours): + (351) 21 352 4765

Spain:

- CIN Valentine, S.A.U.: + (34) 93 565 66 00

- CIN Soritec, S.A. (office hours): +(34) 91 847 38 00

- CIN Govesan, S.L.U. (office hours): + (34) 918 46 30 00

France:

- CIN Celliose, S.A (office hours): + (33) (0) 472 397 777

- CIN Monopol, S.A. (office hours): + (33) (0) 475 442 117

Trade name: MEGAPOL F 4500

(Contd. of page 1)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**  
Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
Avoid release to the environment.  
Dispose of contents/container in accordance with regional/national regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7727-43-7 EINECS: 231-784-4 Reg.nr.: 01-2119491274-35	barium sulfate substance with a Community workplace exposure limit	25-50%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17	titanium dioxide substance with a Community workplace exposure limit	2.5-10%
CAS: 26741-53-7 EINECS: 247-952-5 Reg.nr.: 01-2119977073-34	3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane ⚠ Aquatic Chronic 1, H410	≤1%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.

(Contd. on page 3)

**Trade name: MEGAPOL F 4500**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** It might be necessary to use self-contained respiratory protective device.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
To remove contaminated clothing and protective equipment before entering eating areas.  
To wash hands after use.  
Not to eat, drink and smoke in work areas.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

**Trade name: MEGAPOL F 4500**

(Contd. of page 3)

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 7727-43-7 barium sulfate**

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
-----	---

**CAS: 13463-67-7 titanium dioxide**

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *total inhalable **respirable
-----	---

· **DNELs**

**CAS: 7727-43-7 barium sulfate**

Oral	DNEL Long term systemic effects	13,000 mg/kg/day (consumers)
Inhalative	DNEL Long term systemic effects	10 mg/m <sup>3</sup> (consumers)
		10 mg/m <sup>3</sup> (workers)
	DNEL Short term local effects	10 mg/m <sup>3</sup> (workers)

**CAS: 13463-67-7 titanium dioxide**

Oral	DNEL Long term systemic effects	700 mg/kg/day (consumers)
Inhalative	DNEL Long term systemic effects	10 mg/m <sup>3</sup> (consumers)
		10 mg/m <sup>3</sup> (workers)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:**

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Not required.

EN

(Contd. on page 5)

Trade name: MEGAPOL F 4500

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Solid

**Colour:** According to product specification

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

**Melting point/freezing point:** Undetermined.

**Initial boiling point and boiling range:** Undetermined.

· **Flash point:** >100 °C

· **Flammability (solid, gas):** Not determined.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Risk of explosion of the mixture powder/air in the presence of sources of ignition

· **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

· **Vapour pressure:** Not applicable.

· **Density at 20 °C:** 1.664 g/cm<sup>3</sup>

· **Relative density** Not determined.

· **Vapour density** Not applicable.

· **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with water:**

Insoluble.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Solids content (w/w):** 100.0 %

· **9.2 Other information:** No further relevant information available.

### SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known.

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

**Trade name: MEGAPOL F 4500**

(Contd. of page 5)

- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**CAS: 13463-67-7 titanium dioxide**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rbt)
Inhalative	LC50/4 h	6.82 mg/l (rat)

**CAS: 26741-53-7 3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>2 mg/l (rat)
	LC50	70.7 mg/l (fish)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**CAS: 13463-67-7 titanium dioxide**

EC50/48 h	>100 mg/l (daphnia magna)
EC50r/72 h	>100 mg/l (pseudokirchneriella subcapitata (algae))
EL50/48 h	>100 mg/l (daphnia magna)
LC50/96 h	>1,000 mg/l (pim)

**CAS: 26741-53-7 3,9-bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane**

EC50	>3.2 mg/l (daphnia magna)
------	---------------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 7)

**Trade name: MEGAPOL F 4500**

(Contd. of page 6)

- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
 Harmful to aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Product**  
**Recommendation:**  
 Disposal must be made according to official regulations.  
 Contact waste processors for recycling information.  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
 The information given is based on Directive (EU) 2008/98.
- **European waste catalogue**  
 This product is considered hazardous waste as defined by EU Directive 2008/98/EC.
- **European waste catalogue**  
 Recommended identification code  
 08 01 11\* - waste paint and varnish containing organic solvents or other dangerous substances
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | Void            |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | Void            |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void            |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void            |
| · <b>14.5 Environmental hazards:</b>  | Not applicable. |

(Contd. on page 8)



**Trade name: MEGAPOL F 4500**

(Contd. of page 7)

· **14.6 Special precautions for user** Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

· **UN "Model Regulation":** Void

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H410 Very toxic to aquatic life with long lasting effects.

· **Classification according to Regulation (EC) No 1272/2008**

Hazardous to the aquatic environment - chronic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Department issuing SDS:**

See address in section 1 on this MSDS

CIN Industrial Coatings - Capital Social € 2.250.000 - C.R.C. da Maia / NIPC: 504 160 583

CIN - Capital Social € 25.000.000 - C.R.C. da Maia / NIPC: 500 076 936

CIN Valentine - C. Soc. € 10.000.000 - CIF A61356713 - Reg. M. Barcelona,

CIN Celliose - Capital Social. € 1.128.195 -TVA 775643976 - RCS de Lyon 775 643 976

CIN Monopol - SAS au capital de € 1.887.520 - RCS Romans 419691696 – TVA 419691696

CIN Soritec - Capital Social € 552.432

CIN Govesan - Capital Social € 3.000

· **Contact:** See address in section 1 on this MSDS

(Contd. on page 9)



**Trade name: MEGAPOL F 4500**

(Contd. of page 8)

**· Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*SVHC: Substances of Very High Concern*

*vPvB: very Persistent and very Bioaccumulative*

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

**· \* Data compared to the previous version altered.**

EN